

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Englewood Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	----	----	----	----	----	----
AIDS-Any OI	#	#	#	#	31	26
AIDS-CD4 Only	#	#	#	#	40	34
HIV Only	46	40	0	0	46	39
-----	----	----	----	----	----	----
Total	116	100	#	#	117	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	----	----	-----	----	----	----	----	----	----
<5	#	#	White, Not Hispanic	29	25	0	0	29	25
5-12	#	#	Black, Not Hispanic	63	54	0	0	63	54
13-19	0	0	Hispanic	#	#	#	#	22	19
20-29	6	5	Other/Unknown	#	#	#	#	#	#
30-39	21	18	-----	----	----	----	----	----	----
40-49	49	42	Total	116	100	#	#	117	100
50+	40	34							
Unk.	0	0							
-----	----	----							
Total	117	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	
	Males	%	Females	%		
-----	----	----	----	----	----	----
Men sex with men (MSM)	28	37	0	0	28	24
Injection drug user (IDU)	24	32	7	18	31	27
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	15	20	9	23	24	21
-----	----	----	----	----	----	----
Total	76	100	39	100	115	100

	Pediatric Transmission Modes				Total	
	Males	%	Females	%		
-----	----	----	----	----	----	----
Parent at risk/has AIDS/HIV	0	.	#	#	#	#
Risk not reported/other***	0	.	#	#	#	#
-----	----	----	----	----	----	----
Total	0	.	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Englewood Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	0	(.)	57	(34)
Other OI w/o PCP	#	(#)	#	(#)	0	(0)	#	(#)
KS Alone	#	(#)	#	(#)	0	(.)	#	(#)
No Disease Listed	48	(29)	8	(19)	0	(.)	48	(29)
Total	165	(100)	96	(64)	0	(0)	167	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	36	22	0	0	36	22
5-12	#	#	Black, Not Hispanic	107	65	0	0	107	64
13-19	0	0	Hispanic	#	#	#	#	23	14
20-29	26	16	Other/Unknown	#	#	#	#	#	#
30-39	67	40	-----	-----	-----	-----	-----	-----	-----
40-49	50	30	Total	165	100	#	#	167	100
Over 49	22	13							
Unknown	0	0							
Total	167	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	50	42	0	0	50	30
Injection drug user (IDU)	42	35	13	29	55	33
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	16	13	8	18	24	15
Total	120	100	45	100	165	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	#	#	#	#
Risk not reported/other***	0	.	#	#	#	#
Total	0	.	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Englewood Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	6	6	100%
1985	7	6	86%
1986	#	#	#
1987	5	5	100%
1988	6	5	83%
1989	6	6	100%
1990	17	15	88%
1991	14	11	79%
1992	9	6	67%
1993	12	5	42%
1994	17	12	71%
1995	10	5	50%
1996	9	#	#
1997	10	5	50%
1998	#	#	#
1999	7	0	0%
2000	6	#	#
2001	#	#	#
2002	10	0	0%
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	167	96	57%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Englewood Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	-----	---		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	13	26	0	0	13	26
5-12	#	#	Black, Not Hispanic	#	#	#	#	29	58
13-19	0	0	Hispanic	7	14	0	0	7	14
20-29	8	16	Other/Unknown	#	#	#	#	#	#
30-39	17	33	-----	-----	---	-----	---	-----	---
40-49	18	35	Total	50	100	#	#	51	100
Over 49	7	14							
Unknown	0	0							
-----	-----	---							
Total	51	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	9	31	0	0	9	18
Injection drug user (IDU)	#	#	#	#	12	24
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	12	24
Risk not reported/other***	9	31	6	29	15	30
-----	-----	---	-----	---	-----	---
Total	29	100	21	100	50	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Englewood Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	119	55
AIDS-CD4 Only	48	22	0	0	48	22
HIV Only	#	#	#	#	51	23
-----	-----	---	-----	---	-----	---
Total	215	100	#	#	218	100

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	49	23	0	0	49	22
5-12	#	#	Black, Not Hispanic	#	#	#	#	136	62
13-19	0	0	Hispanic	#	#	#	#	30	14
20-29	40	18	Other/Unknown	#	#	#	#	#	#
30-39	89	41	-----	-----	---	-----	---	-----	---
40-49	57	26	Total	215	100	#	#	218	100
Over 49	29	13							
Unknown	0	0							
-----	-----	---							
Total	218	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	59	40	0	0	59	27
Injection drug user (IDU)	50	34	17	26	67	31
MSM/IDU	5	3	0	0	5	2
Heterosexual contact	10	7	35	53	45	21
Risk not reported/other***	25	17	14	21	39	18
-----	-----	---	-----	---	-----	---
Total	149	100	66	100	215	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Englewood Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	6	6	100%
1985	8	7	88%
1986	6	6	100%
1987	8	7	88%
1988	11	6	55%
1989	10	8	80%
1990	19	15	79%
1991	18	11	61%
1992	12	5	42%
1993	13	#	#
1994	18	9	50%
1995	14	#	#
1996	14	#	#
1997	12	5	42%
1998	7	#	#
1999	13	#	#
2000	7	#	#
2001	5	#	#
2002	9	0	0%
2003	5	0	0%
2004	#	#	#
-----	-----	-----	-----
Total	218	101	46%